# 10.1 USES PERMITTED

No *person* shall within any RH Zone use any *lot* or *erect*, *alter* or use any *building* or *structure* for any purpose except one or more of the RH uses presented in Table 10.1:

TABLE 10.1: USES PERMITTED		
•	an apartment dwelling;	
•	a public use in accordance with the provisions of Section 5.27 of this By-Law;	
•	a single detached dwelling, converted dwelling, duplex dwelling or semi-detached dwelling existing on the date of passing of this By-Law, in accordance with the provisions contained in Section 7.2 of this By-Law.	

# 10.2 ZONE PROVISIONS

No *person* shall within any RH Zone use any *lot* or *erect*, *alter* or use any *building* or *structure* except in accordance with the provisions presented in Table 10.2:

TABLE 10.2: ZONE PROVISIONS		
Zone Provision	Apartment Dwellings and Public Uses	
Number of Dwellings Per Lot, Maximum	No provision	
Lot Area, Minimum	<b>90</b> $m^2$ (968.8 ft <sup>2</sup> ) per <i>dwelling unit</i> . The minimum <i>lot area</i> shall be the sum of the areas required for each <i>dwelling unit</i> on the <i>lot</i> .	
Lot Area, Maximum	<b>160</b> $m^2$ (1,722.3 ft <sup>2</sup> ) per <i>dwelling unit</i> . The maximum <i>lot area</i> shall be the sum of the areas required for each <i>dwelling unit</i> on the <i>lot</i> .	
Lot Frontage, Minimum	<b>30 m</b> (98.4 ft)	
Lot Depth, Minimum	No provision	
Front Yard, Minimum Depth Exterior Side Yard, Minimum Width	50% of the <i>height</i> of the <i>building</i> or <b>7.5 m</b> (24.6 ft) whichever is the greater.	
Rear Yard, Minimum Depth	50% of the <i>height</i> of the <i>building</i> or <b>10.5 m</b> (32.8 ft), whichever is the greater, provided that a <i>rear yard</i> adjoining an end wall containing no <i>habitable room</i> windows may be reduced to $3 \text{ m}$ (9.8 ft), except that if the <i>rear lot line</i> adjoins an R1, R2, R3 or FD Zone then this reduction shall not apply.	

TABLE 10.2: ZONE PROVISIONS		
Zone Provision	Apartment Dwellings and Public Uses	
Interior Side Yard, Minimum Width	50% of the <i>height</i> of the <i>building</i> or <b>10.5 m</b> (32.8 ft), whichever is the greater, provided that an <i>interior side yard</i> adjoining an end wall containing no <i>habitable room</i> windows may be reduced to <b>3 m</b> (9.8 ft), except that if <i>the interior side lot line</i> adjoins an R1, R2, R3 or FD Zone then this reduction shall not apply.	
<b>Setback</b> , Minimum distance from the centreline of an Arterial Road as designated on Schedule "B" of this By-Law	<b>20.5 m</b> (67.3 ft)	
Lot Coverage, Maximum	40% of the <i>lot area</i>	
Landscaped Open Space, Minimum	35% of the <i>lot area</i>	
Height of Building, Maximum	<b>22 m</b> (72.2 ft)	
Amenity Area, Minimum	<b>40</b> $m^2$ (430.6 ft <sup>2</sup> ) per unit for bachelor, one bedroom and two-bedroom units and <b>80</b> $m^2$ (861.1 ft <sup>2</sup> ) per unit for units containing more than 3 bedrooms.	
Parking, accessory uses, permitted encroachments and other general provisions	In accordance with the provisions of Section 5	

(Deleted and Replaced by By-Law 2021-023)

# 10.2.1 CHILDREN'S OUTDOOR PLAY AREA FOR APARTMENT DWELLINGS

A children's outdoor play area shall be provided on-site for *apartment dwellings* with more than 20 *dwelling units*, with the minimum size of the play area to be determined by the number of *dwelling units* as follows:

Type of Dwelling Unit	Requirement per Dwelling Unit
Two Bedroom	<b>1 m²</b> (10.8 ft²)
Three or more Bedrooms	<b>1.5 m²</b> (16.2 ft²)

In no case shall the play area be less than  $50 \text{ m}^2$  (538.2 ft<sup>2</sup>) in size and shall not be located closer than 5 m (16.4 ft) to any door or window of a *dwelling unit*.

February/21

### 10.2.2 DISTANCE BETWEEN APARTMENT DWELLINGS ON ONE LOT:

Where more than one *apartment dwelling* is *erected* on a *lot*, the minimum distance between the exterior walls of two *apartment dwellings* shall be **18 m** (59.1 ft) where either or both walls contain a window to a *habitable room* and **6 m** (19.7 ft) where neither wall contains a window to a *habitable room*.

### 10.3 HOLDING "(H)" ZONES

In accordance with Section 3.2, where a property shown on Schedule "A" is listed as RH (H), the symbol shall be placed in accordance with the following: no *buildings* or *structures* shall be *erected* or *altered*, save and except *existing buildings*, until the "H" symbol is removed in accordance with the requirements of the <u>Planning Act</u>, RSO 1990, as amended.

#### 10.3.1 HOLDING ZONE PROVISIONS

10.3.1.1 PURPOSE OF THE HOLDING SYMBOL

Unless otherwise stated in a special provision, the Holding Symbol shall have the following purpose: to ensure the orderly development of lands and the adequate provision of municipal services, the "H" symbol shall not be removed until the County of Oxford has provided written confirmation of water and wastewater allocation. Removal of the "H" symbol shall be consistent with Section 41 of the Planning Act.

10.3.1.2 INTERIM USES PERMITTED WITHOUT LIFTING THE "H" SYMBOL

None, unless otherwise stated in a special provision.

10.3.3 That all the provisions of the RH Zone in Section 10.2 to this By-law, as amended, shall apply, and further that all other provisions of this By-law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.

### 10.4 SPECIAL PROVISIONS

### 10.4.1 LOCATION: BRIDGE AND BIDWELL STREETS, RH-1

10.4.1.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any RH-1 Zone use any *lot*, or *erect*, *alter* or use any *building* or *structure* for any purpose except the following:

an apartment dwelling.

SECTION 10.	0 HIGH DENSITY RESIDENTIAL 2	Zone (RH)	Page 10-4
10.4.1.2	Notwithstanding any provisions of this shall within any RH-1 Zone use any <i>lot, structure</i> except in accordance with the	or erect, alter or use any	
10.4.1.2.1	HEIGHT OF BUILDING		
	Maximum	6 storeys	
10.4.1.2.2	NUMBER OF APARTMENT UNITS		
	Maximum	30	
10.4.1.2.3	LOT FRONTAGE		
	For the purposes of this By-Law the from property line abutting Bidwell Street.	<i>nt lot line</i> shall be deem	ed to be the
10.4.1.2.4	FRONT YARD		
	Minimum Depth	<b>7.6 m</b> (24.9 ft)	
10.4.1.2.5	INTERIOR SIDE YARD		
	Minimum Depth	<b>8 m</b> (26.2 ft)	
10.4.1.2.6	EXTERIOR SIDE YARD		
	Minimum Depth	<b>0 m</b> (0 ft)	
10.4.1.2.7	UNOBSTRUCTED YARD		
	Minimum	<b>0 m</b> (0 ft)	
10.4.1.2.8	LANDSCAPED OPEN SPACE		
	Minimum	30%	
10.4.1.2.9	PARKING STALL SIZE		
	Angle & 90%	<b>2.8 m x 5.8 m</b> (9.2 ft x	: 19 ft)
10.4.1.2.10	PARKING SETBACK FROM SIDE LOT LINE O	R STREETLINE	
	Minimum Depth	<b>0 m</b> (0 ft)	

Town of Tillsonburg Zoning By-Law 3295

SECTION 10.0

10.4.1.2.11 NUMBER OF PARKING SPACES

Minimum

51

10.4.1.3 That all the provisions of the RH Zone in Section 10.2 to this By-Law, as amended, shall apply, and further that all other provisions of this By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.

## 10.4.2 LOCATION: BRIDGE AND QUEEN STREETS, RH-2

10.4.2.1 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any RH-2 Zone use any *lot*, or *erect*, *alter* or use any *building* or *structure* for any purpose except the following:

a 60 unit apartment building for affordable housing.

10.4.2.2 Pursuant to Section 37 of the Planning Act, an agreement shall be executed between the property owner and the Municipality and registered against title to define the terms and conditions associated with the granting of this bonus zoning provision:

NET RESIDENTIAL DENSITY

Maximum

144.9 *dwelling units* per hectare (58.7 *dwelling units* per acre)

- 10.4.2.3 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any RH-2 Zone use any *lot*, or *erect*, *alter* or use any *building* or *structure* except in accordance with the following provisions:
- 10.4.2.3.1 HEIGHT OF BUILDING

Maximum

10.4.2.3.2 NUMBER OF APARTMENT UNITS

Maximum

10.4.2.3.3 LOT FRONTAGE

Minimum

**21.2 m** (69.5 ft)

5 storeys

(Amended by By-Law 3367)

60

May/09

SECTION 10.	0 HIGH DENSITY RESIDENTIAL 2	<u>Zone (RH)</u>	Page 10-6
10.4.2.3.4	EXTERIOR SIDE YARD SETBACK		
	Minimum	<b>7.4 m</b> (24.3 ft)	
10.4.2.3.5	INTERIOR SIDE YARD SETBACK		
	Minimum	<b>0 m</b> (0 ft)	
10.4.2.3.6	AMENITY AREA		
	Minimum	<b>631.4 m<sup>2</sup></b> (6,796.5 ft <sup>2</sup> )	
10.4.2.3.7	SETBACK FROM ARTERIAL ROAD		
	Minimum	<b>13.0 m</b> (42.6 ft)	
10.4.2.3.8	NUMBER OF PARKING SPACES		
	Minimum	43	

10.4.2.4 That all the provisions of the RH Zone in Section 10.2 to this By-Law, as amended, shall apply, and further that all other provisions of this By-Law, as amended, that are consistent with the provisions herein contained shall continue to apply mutatis mutandis.

(Amended by By-Law 3367)

# 10.4.3 LOCATION: DURHAM STREET, PART OF LOTS 460-462, PLAN 500, RH-3

10.4.3.1 Notwithstanding any provision of this By-Law to the contrary, no *person* shall within any RH-3 Zone use any *lot*, or *erect*, *alter* or use any *building* or *structure* for any purpose except the following:

A 13 unit *apartment building* for affordable housing.

10.4.3.2 Pursuant to Section 37 of the Planning Act, an agreement shall be executed between the property owner and the Municipality and registered against title to define the terms and conditions associated with the granting of this bonus zoning provision:

NET RESIDENTIAL DENSITY

Maximum

260.0 *dwelling units* per hectare (105.2 *dwelling units* per acre)

May/09

(Added by By-Law 3367)

SECTION 10.	0 HIGH DENSITY RESIDENTIAL 2	<u>Cone (RH)</u> P	Page 10-7
10.4.3.3	Notwithstanding any provision of this By-Law to the contrary, no <i>person</i> shall within any RH-3 Zone use any <i>lot</i> , or <i>erect</i> , <i>alter</i> or use any <i>building</i> or <i>structure</i> except in accordance with the following provisions:		
10.4.3.3.1	HEIGHT OF BUILDING		
	Maximum	5 storeys	
10.4.3.3.2	NUMBER OF APARTMENT UNITS		
	Maximum	13	
10.4.3.3.3	LOT FRONTAGE		
	Minimum	<b>9.27 m</b> (30.5 ft)	
10.4.3.3.4	REAR YARD SETBACK		
	Minimum	<b>0 m</b> (0 ft)	
10.4.3.3.5	INTERIOR SIDE YARD SETBACK		
	Minimum:	<b>0 m</b> (0 ft) for the east sid	e of <i>lot</i>
10.4.3.3.6	Amenity Area		
	Minimum	<b>155.2 m²</b> (1,670.6 ft²)	
10.4.3.3.7	NUMBER OF PARKING SPACES		
	Minimum	5	
10.4.3.4	That all the provisions of the RH Zone amended, shall apply, and further that a amended, that are consistent with the	Il other provisions of this B	y-Law, as

continue to apply mutatis mutandis.

(Added by By-Law 3367)

SECTION 10.0

## 10.4.4 LOCATION: WEST SIDE OF MAPLE LANE, PART LOT 381, PLAN 500, RH-4 (KEY MAP 19)

10.4.4.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any RH-4 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:

6 m (19.6 ft)

8.4 m (27.5 ft)

Nil

Nil

50

10.4.4.1.1 REAR YARD DEPTH

Minimum

10.4.4.1.2 INTERIOR SIDE YARD WIDTH

Minimum

10.4.4.1.3 LANDSCAPED OPEN SPACE

Minimum per 1 bedroom apartment dwelling unit

10.4.4.1.4 AMENITY AREA

Minimum per 1 bedroom apartment dwelling unit

10.4.4.1.5 CHILDREN'S OUTDOOR PLAY AREA Minimum Nil

10.4.4.1.6 REQUIRED PARKING SPACES

Minimum

10.4.4.1.7 That all provisions of the RH Zone in Section 10.2 of this By-Law, as amended, shall apply; and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 3882)

February/15

- 10.4.5 LOCATION: PART LOTS 293, 341, 423-426, LOTS 420-422, PLAN 500, EAST SIDE OF KING STREET, NORTH SIDE OF FIRST STREET, WEST SIDE OF TILLSON AVENUE, RH-5, (KEY MAP 16)
- 10.4.5.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any RH-5 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

All uses *permitted* in Table 10.1.

- 10.4.5.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any RH-5 Zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except in accordance with the following provisions:
- 10.4.5.2.1 INTERIOR SIDE YARD WIDTH

Minimum

6.5 m (21 ft)

10.4.5.2.2 PARKING AREAS

Notwithstanding Section 5.24.3.1, Table 5.24.3 - Location and Setback Requirements for Parking Areas, on lands zoned RH-5, *motor vehicle parking areas* may be located within an *exterior side yard*.

10.4.5.2.3 FRONT LOT LINE

For the purposes of interpreting this Zoning By-law, the *front lot line* for the northerly parcel shall be deemed to be the *lot line* adjacent to King Street, and the *front lot line* for the southerly parcel shall be deemed to be the *lot line* adjacent to Tillson Avenue.

10.4.5.3 That all of the provisions of the RH Zone in Section 10.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2021-022)

# 10.4.6 LOCATION: PART LOT 8, CONCESSION 12 (DEREHAM), RH-6(H) (KEY MAP 23)

10.4.6.1 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any RH-6 zone *use* any *lot*, or *erect*, *alter*, or *use* any *building* or *structure* for any purpose except the following:

all uses permitted in Table 10.1; a multiple unit dwelling, subject to the provisions of Section 9.2; a daycare centre, subject to the provisions of Section 15.2; a personal service establishment, subject to the provisions of Section 15.2;

September/23

a convenience store;

an *eating establishment* (excluding a drive through facility).

- 10.4.6.2 Notwithstanding any provisions of this By-Law to the contrary, no *person* shall within any RH-6 Zone use any *lot*, or *erect*, *alter*, or use any *building* or *structure* for any purpose except in accordance with the following provisions:
- 10.4.6.2.1 DISTANCE BETWEEN APARTMENT BUILDINGS ON ONE LOT

Notwithstanding Section 10.2.2, where more than one *apartment dwelling* is *erected* on a *lot* zoned RH-6, the minimum distance between the exterior walls of two *multiple unit dwellings* shall be a minimum of **12.5 m** and **6 m** when neither wall contains a window to a habitable room.

10.4.6.2.2 SETBACK FROM CENTRELINE OF ARTERIAL ROAD

#### Minimum

**16 m** (52.3 ft)

10.4.6.3 That all of the provisions of the RH Zone in Section 10.2 of this By-Law, as amended, shall apply and further, that all other provisions of this By-Law, as amended, that are consistent with the provisions herein shall continue to apply mutatis mutandis.

(Added by By-Law 2023-079)